

Beyond Biometrics

Access Control, Time Attendance & IoT



*Selected models




SOFTWARE & APPLICATIONS FOR BIOMETRIC DEVICES

ingress

Time Attendance & Access Control

- 33 Reports For Data Analysis
- Supports Surveillance From Multiple PCs Concurrently
- Push Notifications When Door Events Are Triggered



TCMSV3

Time Attendance

- Support Normal, Overnight and Multiple Shift Configurations
- Group, Personal Duty Rosters & Holiday Settings
- Simplify Payroll Integration by Exporting Attendance Data




Full Hardware
Specification



Full Software
Specification

APPLICATION



TimeTec Attendance
Cloud Time Attendance



TimeTec Access
Cloud Access Control



TimeTec Visitor
Cloud Visitor Management

*Actual UI from TimeTec HR app





Face Recognition

Access Control & Time Attendance

Access Control & Time Attendance

Time Attendance



Model	Face ID 5	Face ID 2	Face ID X	Face ID 4D	Face ID 4
Dimension (L X W X H), mm	92 x 23 x 203	194 x 110 x 145	194 x 110 x 145	151 x 26 x 150	151 x 26 x 150
Templates	Face: 10k Fingerprint: 10k *Palm: 3k	Face: 1,200 Fingerprint: 10k	Face: 3k (1:N), 30k (1:1) Fingerprint: 10k	Face: 3k	Face: 3k
Transactions	200,000	200,000	1,000,000	200,000	200,000
Verification Method	Face, Fingerprint *Palm & Password	Face, Fingerprint & Password	Face, Fingerprint & Password	Face & Password	Face & Password
Communication Method	TCP/IP, RS485	TCP/IP, RS232, RS485, USB disk	TCP/IP, RS232, RS485, USB disk	TCP/IP, USB disk	TCP/IP, USB disk
Verification Time	Fingerprint: <1s, Face: <2s, *Palm: <0.35s	Fingerprint: <1s, Face: <2s	Fingerprint: <1s, Face: <2s	Face: <2s	Face: <2s

*Optional



Controller

Security Hub for Smart Control



Model	INGRESSUS I	INGRESSUS II	INGRESSUS IV
Dimension (L X W X H), mm	186 x 106 x 36	186 x 106 x 36	226 x 106 x 36
Templates	Fingerprint: 3k, Password: 30k	Fingerprint: 3k, Password: 30k	Fingerprint: 3k, Password: 30k
Transactions	100,000	100,000	100,000
Verification Method	Wiegand	Wiegand	Wiegand
Communication Method	TCP/IP	TCP/IP	TCP/IP
Quantity of Terminal	2	4	4
Input / Output	1	2	4

Add On

Enrolment



Model	Ofis-Z
Dimension (L X W X H), mm	45 x 78 x 40
Supporting OS	MS Windows/ MS Internet Explorer (IE 9)
Pixel Resolution	512 dpi (average x, y over the scanning area)
Scan Data	8-bit of greyscale (256 levels of grey)
Compatibility	USB 1.0, 1.1, 2.0 (Full speed) specifications



Card

Access Control & Time Attendance



Model	Kadex+
Dimension (L X W X H), mm	85 x 19.8 x 143
Templates	Card : 50k
Transactions	200,000
Verification Method	Card & Password
Card Option	RFID (Default), Mifare/ HID (Made to Order)
Communication Method	TCP/IP, Wiegand, RS485, RS232
Verification Time	Card: <1s



IoT

QR Code & Smart Door



Model	QF Plus
Dimension (L X W X H), mm	158 x 74 x 15.6
Templates	Face: 6k
Transactions	1,000,000
Verification Method	Face & QR Code
Communication Method	Wi-Fi, Bluetooth, 4G, USB disk

Fingerprint Access Control & Time Attendance



Access Control & Time Attendance

Time Attendance



Model	R2	R3	H2i	Q2i	TA500	TA100C	TA200 PLUS
Dimension (L X W X H), mm	94 x 50 x 189	78 x 32 x 190	78 x 50 x 150	200 x 56 x 160	184 x 38 x 134	190 x 52 x 140	200 x 56 x 160
Templates	Fingerprint: 3k	Fingerprint: 3k	Fingerprint: 1.5k	Fingerprint: 10k	Fingerprint: 2k	Fingerprint: 8k	Fingerprint: 10k
Transactions	120,000	100,000	100,000	200,000	80,000	200,000	200,000
Verification Method	Fingerprint & Password	Fingerprint & Password	Fingerprint	Fingerprint & Password	Fingerprint & Password	Fingerprint & Password	Fingerprint, & Password
Communication Method	TCP/IP, RS232, RS485, USB disk	TCP/IP, RS232, RS485, USB disk	TCP/IP, RS485, USB disk	TCP/IP, RS232, RS485, USB disk	TCP/IP, USB disk	TCP/IP, USB disk, *RS232, *RS485	TCP/IP, USB disk, *RS232, *RS485
Verification Time	Fingerprint: <1s	Fingerprint: <1s	Fingerprint: <1s	Fingerprint: <1s	Fingerprint: <1s	Fingerprint: <1s	Fingerprint: <1s

*Optional




Secondary Terminal Cost-Effective Access Solution



Model	i-Kadex	R3c	QR110
Dimension (L X W X H), mm	55 x 15 x 100	80 x 40 x 125	86 x 40 x 86
Templates	Storage in Primary Terminal	Storage in Primary Terminal	Storage in Primary Terminal
Transactions	Storage in Primary Terminal	Storage in Primary Terminal	Storage in Primary Terminal
Verification Method	Card	Fingerprint (1:N)	QR Code
Communication Method	Wiegand	RS485 (Connects to Primary Terminal)	Wiegand
Verification Time	Managed by Primary Terminal	Managed by Primary Terminal	Managed by Primary Terminal

TIMETEC CLOUD CITY

A Smart City Ecosystem



iNeighbour **timeTec**^{HR} *FINGERTEC*

20+
Years on the
Market

400+
Active
Resellers

30+
Patents

15+
Languages

ISO
27001

CMMI
Level 3

PDPA &
GDPR
Compliance

SLA

CLIENTELE

1 Million+
Worldwide Installations

35 Million+
Active Users

